Notice of Allowability	Application No.	Applicant(s)		
	10/723,015 Examiner	WORTLEY ET AL. Art Unit		
	Cassandra Davis	3611		
- The MAILING DATE of this communication app All daims being allowable, PROSECUTION ON THE MERTS berewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 OFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	application. If not include on will be mailed in due	ed course. THIS	
<ol> <li>This communication is responsive to <u>10/14/09</u>.</li> </ol>				
2. The allowed claim(s) is/are <u>1-17</u> .				
Acknowledgment is made of a claim for foreign priority ur     a) □ All b) □ Some* c) □ None of the:     1. □ Certified copies of the priority documents have				
2. Certified copies of the priority documents have been received in Application No.				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).		J		
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONW THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		y complying with the red	quirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF	
5. CORRECTED DRAWINGS ( as "replacement sheets") mus	st be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
<ul><li>(b)  including changes required by the attached Examiner's Paper No./Mail Date</li></ul>				
Identifying Indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1.12	vings in the front (not the 1(d).	back) of	
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>			Note the	
Attachment(s)				
1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application		
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summal Paper No./Mail D</li> </ol>	ry (PTO-413), nate 1/29/2010		
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amen			
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stater	8. 🛮 Examiner's Statement of Reasons for Allowance		
	9.  Other			
/Cassandra Davis/ Primary Examiner, Art Unit 3611				

Application/Control Number: 10/723,015 Page 2

Art Unit: 3611

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or
additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the
payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kenneth E. Horton on January 29, 2010.

The application has been amended as follows:

 An identification marker attached to a hose using a hose clamp, comprising: an identification plate;

a cross member attached to said identification plate, wherein the cross member transverses a hose clamp to retain the identification plate adjacent the clamp independently of a hose on which the hose clamp is located; and

the identification marker has a protrusion that secures the identification marker to engages the hose clamp.

Claims 18-26 have been canceled.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 6 and 7 have been labeled as prior art. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes

Application/Control Number: 10/723,015

Art Unit: 3611

2. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach an identification device/marker in combination with a hose and hose clamp, wherein the identification device/marker comprises an identification member, a cross member attached to the identification member such that the cross member transverses the hose clamp to retain the member adjacent the hose clamp independently of the hose and a securing member comprising a protrusion engaging the hose clamp.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cassandra Davis whose telephone number is 571-272-6642. The examiner can normally be reached on Monday-Friday 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lesley Morris can be reached on 571-272-6651. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/723,015 Page 4

Art Unit: 3611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Cassandra Davis/ Primary Examiner Art Unit 3611

CD